

UNKA
SOUND SYSTEMS



Unique Audio Solutions



MAK12.v3P

PASSIVE LINE ARRAY FORMAT

MAK12-V3P is a passive satellite speaker made to be bi-amplified. It was designed for middle and big-size venues performing long throw and high power. It combines one 12" Neodymium speaker with one 2,5" high frequency driver.

PRODUCT DESCRIPTION:

Our big size venues passive speaker MAK12-V3P has an exceptional size/power ratio. It is made of 15mm birch plywood, strong structure and low weight (35kg) considering its power

It's easy to use and optimized to be utilized in conjunction with our MAK5 series subwoofers it's forming powerful PA system for middle and big size venues.


It could be powered by a conventional amplification in bi-amplified configuration and under advice and recommendations of our technicians.

Also, thanks to its construction, this speaker could be used as floor monitor, drum fill, etc....



TECHNICAL SPECIFICATIONS MAK12 V3P

Dimensions



COLORS & PREMIUM FINISHES AVAILABLE



Black



White



Custom

ACOUSTICS

POWER HANDLING	500 W + 80W
IMPEDANCE	1 x 8 Ω + 1 x 8 Ω
COVERAGE	H 60° V 40°
FREQUENCY RANGE	50 Hz - 16 KHz +/- 3dB
SPL 1W/1MT	125 dB (low-mid) 126 dB (higt)
MAXIMUM SPL	130 dB CONTINUOS - 136 dB PEAK

CROSS OVER

FREQUENCY	1.200 Hz Minimum
-----------	------------------

TRANSDUCERS

LOW-MID FREQUENCY	1 x 12" FERRITA
HIGH FREQUENCY	1 x 2,5" FERRITA

AUDIO INPUT

CONNECTORS	CONECTORS NL4 SPEAKON 1+ 1- 2+ 2- THROUGH
------------	---

AUDIO OUTPUT

CONNECTOR	CONECTORS NL4 SPEAKON 1+ 1- 2+ 2- THROUGH
-----------	---

PHYSICAL

MEASURES	75 x 35 x 22 cm (29,53" x 13,78" x 8,66")
WEIGHT	37 kg. (14,57 lb)